

CONTENTS



Acknowledgments	xiii
Introduction	xv
▼ 1 Introducing WAP	1
What Is WAP?	2
Why is WAP Important?	3
WAP's Benefits for Consumers	5
A History of WAP	6
A Time Before WAP	6
The WAP Forum	7
The Idea of WAP	7
WAP Architecture	8
The WAP Model	9
Wireless Markup Language (WML)	10
Evolution of WAP	10
Adapting to the Restrictions of the Wireless Network	10
The Business Case for WAP	15
WAP Services	15
Why WAP?	20
The Future of WAP	21

▼ 2	What Makes a Good WAP Application?	23
	The User's Point of View	24
	Ease of Use	25
	Designing for Users	25
	What Are the WAP Micro-Browser Issues Today?	27
	Writing a Generic WML Interface	28
	Targeting Your Market Micro-Browser	29
	How to Design a Good WAP Application	30
	The Application-Design Process	32
	Common Design Mistakes	37
▼ 3	The User Interface	39
	User Interface Basics	40
	Low Bandwidth	42
	Small Screen Size	42
	Text Entry	43
	Number of Keystrokes	43
	Password Text Entry	44
	Application Personalization	44
	Data Field Entry	45
	Using the Cache	45
	Types of WML Cards	47
	Choice Cards	47
	Entry Cards	49
	Display Cards	49
	The "Back" Button	50
	Graphics	51
▼ 4	WAP Development Tools and Software	53
	Editors and Emulators	55
	WAP Editors	55
	WAP Emulators	58
	Software Developer Kits (SDKs) and Integrated Development Environments (IDEs)	60
	Converting Images	62
	Specification of Well-Defined WBMP Types	62
	Summary	63
▼ 5	Working with WML	65
	WML Basics	66
	WAP and the Web	67
	Writing WML Code	68

The “Hello World” Example	70
The Document Prologue	70
The Deck Header	72
The First Card	72
The Second Card	72
The Deck Footer	73
A Services Site Example	73
Using Multiple Decks	73
Building the Services Site	74
What’s in a Card	75
Graphics	76
The Services Site with Graphics	78
Creating Links	80
The WML Site with Links	81
Templates	83
▼ 6 Interactivity: Forms and User Input	85
The Options Menu (Select)	86
Selection on the Nokia	87
Selection on Phone.com	88
Option Groups	88
Templates Revisited	92
The Do Element	94
Events	98
Onenterbackward	98
Onenterforward	101
Onpick	102
Ontimer	103
Variables	104
Using Variables	105
Other Ways of Setting Variables	108
The Input Tag	110
Data Formatting	112
Summary	116
▼ 7 Adding Functionality with WMLScript	117
What is WMLScript?	118
The Rules of WMLScript	119
Case Sensitivity	120
Whitespace and Line Breaks	120
Comments	120
Statements	122
Code Blocks	122

Variables	123
Variable Scope	124
Operators	124
Assignment Operator	125
Arithmetic Operators	125
Bitwise Operators	126
Increment and Decrement Operators	126
Logical Operators	128
Comparison Operators	129
String Concatenation	131
The Comma	131
The typeof Operator	132
The isvalid Operator	133
The Conditional Operator	133
Operator Precedence	134
Control Constructs	135
If Statements	135
While Statements	137
For Statements	137
Stopping Loops or Skipping Unnecessary Loop Statements	138
Reserved Words	140
Functions	141
Parameters	141
Calling Functions	142
The Standard Libraries	145
The Dialogs Library	146
The Float Library	146
The Lang Library	147
The String Library	149
The URL Library	150
The WMLBrowser Library	152
Arrays	152
Pragmas	154
External Files	155
Access Control	156
Metadata	157
General Coding Principles	157
▼ 8 Database-Driven WAP	159
Active Server Pages	161
ASP and WAP	162
The ASP Object Model	164

ActiveX Data Objects (ADO)	168
Physically Connecting to the Database	168
Querying the Database	169
Using the Returned Data	169
Tidying Up	170
Some Additional Notes about Connections	170
▼ 9 A Dynamic WAP Application	171
Worldwide-Dance-Web for WAP	172
Data Flow	172
Building the Database	173
Writing the Code	176
Summary	193
▼ 10 Converting Existing Web Sites	195
Why Convert an Existing HTML Web Site to WAP?	196
What Should You Convert?	196
Methods of Conversion	197
A Demonstration HTML Conversion	202
Summary	210
▼ 11 M-Commerce and Security	213
Types of Security and Why It Is Necessary	214
What Is an Acceptable Level of Security?	215
How Secure Is WAP?	215
A Brief History of Encryption	216
Cryptography	216
Wireless Transport Layer Security	219
The Handshake	220
Summary	221
▼ 12 Push Technology and Telematics	223
Push Technology	224
The Push Framework	224
Telematics	228
Location-Sensitive Information	228
Applications for Telematics	229
Push and Telematics Together	230
User Privacy	231
Summary	231

▼ 13 What the Future Holds	233
Technology with Users in Mind	234
Bluetooth — Cutting the Cords	235
VoiceXML—a New Slant on “Walkie/Talkie”	237
Telematics—We Know Where You Are	238
Bringing It All Together	239
▼ 14 WMLScript Reference	241
Case Sensitivity	242
Whitespace and Line Breaks	242
Comments	243
Constants	244
Integer Constants	244
Floating-point Constants	244
String Constants	245
Boolean Variables	246
Invalid Variables	246
Reserved Words	247
Variables	248
Variable Declaration	248
Variable Scope and Lifetime	248
Data Types	249
Pragmas	250
External Files	250
Access Control	251
Metadata	252
Operators	253
Assignment Operators	253
Arithmetic Operators	254
Logical Operators	255
String Operators	256
Comparison Operators	256
Comma Operator	257
Conditional Operator	258
typeof Operator	258
isValid Operator	259
Expressions	259
Functions	260
Function Declarations	260
Function Calls	260

Statements	262
Empty Statements	262
Expression Statements	262
Block Statements	262
Variable Statements	263
If Statements	263
While Statements	264
For Statements	264
Break Statements	265
Continue Statements	265
Return Statements	266
Libraries	266
Notational Conventions	266
Lang Library	267
Float Library	272
String Library	275
URL Library	284
WMLBrowser Library	290
Dialogs Library	293
Console Library	295
▼ Glossary	297
▼ Index	307