



# Contents

<b>Acknowledgments</b>	<b>xix</b>
<b>Introduction</b>	<b>xxi</b>
<b>Part One 3G Hardware</b>	<b>1</b>
<b>Chapter 1 Spectral Allocations—Impact on Handset Hardware Design</b>	<b>3</b>
Setting the Stage	3
Duplex Spacing for Cellular (Wide Area) Networks	7
Multiplexing Standards: Impact on Handset Design	11
FDMA	11
TDMA	11
CDMA	13
Difference between CDMA and TDMA	14
Modulation: Impact on Handset Design	15
Future Modulation Schemes	17
TDMA Evolution	19
5 MHz CDMA: IMT2000DS	21
Advantages of 5 MHz RF Channel Spacing	24
Impact of Increasing Processor Power on Bandwidth Quality	24
Multiplexing	24
Source Coding	25
Channel Coding	27
Convolution and Correlation	29
Summary	30
A Note about Radio Channel Quality	31
A Note about Radio Bandwidth Quality	32

<b>Chapter 2</b>	<b>GPRS/EDGE Handset Hardware</b>	<b>33</b>
	Design Issues for a Multislot Phone	33
	Design Issues for a Multiband Phone	37
	Design Issues for a Multimode Phone	39
	The Design Brief for a Multislot, Multiband, Multimode Phone	39
	Receiver Architectures for Multiband/Multimode	40
	Direct Conversion Receivers	43
	To Sum Up	47
	Transmitter Architectures: Present Options	47
	Issues to Resolve	48
	GPRS RF PA	51
	Manage Power-Level Difference Slot to Slot	52
	Power Amplifier Summary	54
	Multiband Frequency Generation	54
	Summary	56
<b>Chapter 3</b>	<b>3G Handset Hardware</b>	<b>57</b>
	Getting Started	57
	Code Properties	59
	Code Properties—Orthogonality and Distance	60
	Code Capacity—Impact of the Code Tree and Non-Orthogonality	63
	Common Channels	64
	Synchronization	64
	Dedicated Channels	66
	Code Generation	68
	Root Raised Cosine Filtering	70
	Modulation and Upconversion	72
	Power Control	74
	The Receiver	74
	The Digital Receiver	74
	The RAKE Receive Process	77
	Correlation	79
	Receiver Link Budget Analysis	80
	IMT2000DS Carrier-to-Noise Ratio	83
	Receiver Front-End Processing	85
	Received Signal Strength	87
	IMT2000TC	88
	GPS	89
	Bluetooth/IEEE802 Integration	90
	Infrared	91
	Radio Bandwidth Quality/Frequency Domain Issues	91
	Radio Bandwidth Quality/Time Domain Issues	94
	IMT2000 Channel Coding	95
	Reed-Solomon, Viterbi, and Turbo Codes in IMT2000	95
	Future Modulation Options	95
	Characterizing Delay Spread	96
	Practical Time Domain Processing in a 3G Handset	96

	Conformance/Performance Tests	98
	Impact of Technology Maturation on Handset and Network Performance	100
	3GPP2 Evolution	100
	CDMA2000 Downlink and Uplink Comparison	103
	Implementation Options	103
	Linearity and Modulation Quality	103
	Frequency Tolerance	104
	Frequency Power Profile	105
	Summary	109
<b>Chapter 4</b>	<b>3G Handset Hardware Form Factor and Functionality</b>	<b>111</b>
	Impact of Application Hardware on Uplink Offered Traffic	111
	Voice Encoding/Decoding (The Vocoder)	111
	CMOS Imaging	114
	The Keyboard	116
	Rich Media	116
	The Smart Card SIM	117
	The MPEG-4 Encoder	120
	Other Standards	120
	Battery Bandwidth as a Constraint on Uplink Offered Traffic	122
	Impact of Hardware Items on Downlink Offered Traffic	122
	Speaker	122
	Display Driver and Display	123
	How User Quality Expectations Increase Over Time	127
	Alternative Display Technologies	128
	MPEG-4 Decoders	131
	Handset Power Budget	133
	Processor Cost and Processor Efficiency	134
	Future Battery Technologies	135
	Handset Hardware Evolution	136
	Adaptive Radio Bandwidth	138
	Who Will Own Handset Hardware Value?	139
	Summary	140
<b>Chapter 5</b>	<b>Handset Hardware Evolution</b>	<b>141</b>
	A Review of Reconfigurability	141
	Flexible Bandwidth Needs Flexible Hardware	146
	Summary	146
<b>Part Two</b>	<b>3G Handset Software</b>	<b>149</b>
<b>Chapter 6</b>	<b>3G Handset Software Form Factor and Functionality</b>	<b>151</b>
	An Overview of Application Layer Software	151
	Higher-Level Abstraction	154
	The Cost of Transparency	154
	Typical Performance Trade-Offs	156

	Exploring Memory Access Alternatives	156
	Software/Hardware Commonality with	
	Game Console Platforms	159
	Add-On/Plug-On Software Functionality	161
	Add-in/Plug-in Software Functionality:	
	Smart Card SIMS/USIMS	161
	The Distribution and Management of Memory	162
	Summary	165
<b>Chapter 7</b>	<b>Source Coding</b>	<b>167</b>
	An Overview of the Coding Process	167
	Voice	167
	Text	168
	Image	169
	Video	170
	Applying MPEG Standards	172
	Object-Based Variable-Rate Encoders/Decoders	175
	Virtual Reality Modeling Language	175
	Automated Image Search Engines	177
	Digital Watermarking	177
	The SMS to EMS to MMS Transition	178
	Quality Metrics	179
	Summary	182
<b>Chapter 8</b>	<b>MExE-Based QoS</b>	<b>185</b>
	An Overview of Software Component Value	185
	Defining Some Terms	186
	Operating System Performance Metrics	187
	The OSI Layer Model	187
	MExE Quality of Service Standards	190
	Maintaining Content Value	191
	Network Factors	192
	Summary	194
<b>Chapter 9</b>	<b>Authentication and Encryption</b>	<b>197</b>
	The Interrelated Nature of Authentication and Encryption	197
	The Virtual Private Network	198
	Key Management	198
	Digital Signatures	199
	Hash Functions and Message Digests	200
	Public Key Infrastructure	200
	Security Management	201
	Virtual Smart Cards and Smart Card Readers	204
	Where to Implement Security	204
	The IPSec Standard	204
	The IETF Triple A	206

Encryption Theory and Methods	207
Encryption and Compression	207
Evolving Encryption Techniques	208
DES to AES	208
Smart Card SIMS	208
Biometric Authentication	209
Working Examples	210
Over-the-Air Encryption	210
Public Key Algorithms: The Two-Key System	210
Prime Numbers	211
Congruency	212
Diffie-Hellman Exchange	214
Vulnerability to Attack	214
Authentication: Shared Secret Key	216
Digital Signatures	218
Secret Key Signatures	218
Public Key Cryptography	219
Summary	220
<b>Chapter 10 Handset Software Evolution</b>	<b>221</b>
Java-Based Solutions	221
Developing Microcontroller Architectures	223
Hardware Innovations	224
Add-in Modules	224
Looking to the Future	225
Authentication and Encryption	225
Agent Technology	226
Summary	227
<b>Part Three 3G Network Hardware</b>	<b>229</b>
<b>Chapter 11 Spectral Allocations—Impact on Network Hardware Design</b>	<b>231</b>
Searching for Quality Metrics in an Asynchronous Universe	231
Typical 3G Network Architecture	232
The Impact of the Radio Layer on Network	
Bandwidth Provisioning	234
The Circuit Switch is Dead—Long Live the Circuit Switch	235
BTS and Node B Form Factors	236
Typical 2G Base Station Product Specifications	236
3G Node B Design Objectives	241
2G Base Stations as a Form Factor and	
Power Budget Benchmark	241
Node B Antenna Configuration	242
The Benefits of Sectorization and Downtilt Antennas	244
Node B RF Form Factor and RF Performance	245
Simplified Installation	246

Node B Receiver Transmitter Implementation	246
The 3G Receiver	247
The Digitally Sampled IF Superhet	247
The Direct Conversion Receiver (DCR)	247
The 3G Transmitter	249
The RF/IF Section	249
The Baseband Section	255
Technology Trends	256
System Planning	257
The Performance/Bandwidth Trade Off in	
1G and 2G Cellular Networks	258
TDMA/CDMA System Planning Comparisons	261
Radio Planning	263
Rules of Thumb in Planning	266
How System Performance Can Be Compromised	267
Timing Issues on the Radio Air Interface	268
Use of Measurement Reports	269
Uplink Budget Analysis	272
Long-Term Objectives in System Planning:	
Delivering Consistency	273
Wireless LAN Planning	274
Cellular/Wireless LAN Integration	278
Distributed Antennas for In-Building Coverage	278
Summary	279
<b>Chapter 12 GSM-MAP/ANSI 41 Integration</b>	<b>281</b>
Approaching a Unified Standard	281
Mobile Network Architectures	283
GSM-MAP Evolution	289
GPRS Support Nodes	290
The SGSN Location Register	290
The GGSN GPRS Gateway Support Node	290
Session Management, Mobility Management, and Routing	292
Location Management	293
Micro and Macro Mobility Management	293
Radio Resource Allocation	294
Operation and Maintenance Center	295
Summary	295
<b>Chapter 13 Network Hardware Optimization</b>	<b>297</b>
A Primer on Antennas	297
Dipole Antennas	299
Directional Antennas	299
Omnidirectional Antennas	301
Dish Antennas	303
Installation Considerations	303
Dealing with Cable Loss	303

Smart Antennas	303
The Flexibility Benefit	304
Switched Beam Antennas versus Adaptive Antennas	305
Conventional versus Smart Antennas	305
Distributed Antennas	309
A Note about Link Budgets and Power	309
Positioning and Location	310
Smart Antennas and Positioning	313
Superconductor Devices	313
Filter Basics	314
The Q factor	314
The Cavity Resonator	317
The Cavity Resonator in Multicoupling Applications	317
Circulators and Isolators	317
Example 1	318
Example 2	318
Hybrid Directional Couplers	318
Multichannel Combining	321
Superconductor Filters and LNAs	322
RF over Fiber: Optical Transport	322
Optical Transport in the Core Network	324
Optical Selectivity	327
Optical Transport Performance	328
Wavelength Division and Dense Wavelength-Division Multiplexing	328
Summary	330
Antennas	330
Superconductor Devices	330
Optical Components	331
<b>Chapter 14 Offered Traffic</b>	<b>333</b>
Characterizing Traffic Flow	333
The Preservation of Traffic Value (Content Value)	334
The Challenge for IP Protocols	334
Radio and Network Bandwidth Transition	334
Traffic Distribution	335
Protocol Performance	336
Admission Control versus Policy Control	337
Offered Traffic at an Industry Level	338
Converging Standards	338
The Five Components of Traffic	338
The Four Classes of Traffic	339
Sources of Delay, Error, and Jitter Sensitivity	339
Solutions to Delay and Delay Variability	341
Managing the Latency Budget	341
Delivering Quality of Service	342
Delivering Wireless/Wireline Transparency	343

Traditional Call Management in a Wireless Network	343
Session Management in a 3G Network	344
The Challenges of Wireline and Wireless Delivery	346
The Cost of Quality	347
Meeting the Costs of Delivery	347
The Persistency Metric	349
Overprovisioning Delivery Bandwidth	350
Session Switching	351
Preserving and Extracting Traffic Value	351
The Cost of Asymmetry and Asynchronicity	353
Considering the Complexity of Exchange	353
Archiving Captured Content	354
Increasing Offered Traffic Loading	355
Predicting Offered Traffic Load	356
Summary	357
<b>Chapter 15 Network Hardware Evolution</b>	<b>359</b>
The Hierarchical Cell Structure	359
Local Area Connectivity	360
Wireless LAN Standards	360
Delivering a Consistent User Experience	362
Sharing the Spectrum with Bluetooth	363
Working in a Real Office Environment	364
Joining the Scatternet Club	364
The Bluetooth Price Point	365
Dealing with Infrared	365
Plug-in Modules	365
A Network within a Network within a Network	366
Low-Power Radio and Telemetry Products	367
Broadband Fixed-Access Network Hardware Evolution	368
Weather Attenuation Peaks	369
Mesh Networks	372
Fixed-Access Wireless Access Systems	372
Alternative Fixed-Access and Mobility Access	
Wireless Delivery Platforms	374
The NIMBY Factor	375
Setting the Stage for Satellite	375
Satellite Networks	375
Early Efforts	375
Present and Future Options	376
Iridium	377
Globalstar	378
ORBCOMM	378
Inmarsat	378
Calculating the Costs	378
Satellites for Fixed Access	379
Summary	380



<b>Part Four</b>	<b>3G Network Software</b>	<b>383</b>
<b>Chapter 16</b>	<b>The Traffic Mix Shift</b>	<b>385</b>
	The Job of Software	385
	Critical Performance Metrics	386
	Radio Bandwidth Quality	386
	The Performance of Protocols	387
	Network Resource Allocation	387
	Service Parameters	388
	Power Control and Handover	388
	The Evolution of Network Signaling	389
	Second-Generation Signaling	389
	Third-Generation Signaling	390
	Protocol Stack Arrangement	391
	Load Distribution	392
	3G Frame Structure	393
	2G Versus 3G Session Management	393
	Communications between Networks	397
	Why We Need Signaling	398
	Moving Beyond the Switch	399
	Letting the Handset Make the Decisions	399
	Dealing with SS7 and Existing Switching Architectures	400
	Making a Choice	400
	Summary	401
 <b>Chapter 17</b>	 <b>Traffic Shaping Protocols</b>	 <b>403</b>
	An Overview of Circuit Switching	403
	Moving Toward a Continuous Duty Cycle	404
	Deterministic Response to Asynchronous Traffic	404
	Dealing with Delay	405
	Deep Packet Examination	406
	Address Modification and Queuing	407
	Packet Loss and Latency Peaks	408
	Buffering Bandwidth	411
	Multiple Routing Options	412
	IP Switching	412
	The Transition from IPv4 to IPv6	413
	Delivering Router Performance in a Network	414
	Improving Router Efficiency	416
	Traffic Shaping Protocols: Function and Performance	416
	Resource Pre-Reservation Protocol	416
	Multiprotocol Label Switching	417
	Diffserv	418
	Session Initiation Protocol	418
	Real-Time Protocol	419

Measuring Protocol Performance	419
Levels of Reliability and Service Precedence	420
Classes of Traffic in GPRS and UMTS	421
Switching and Routing Alternatives	421
ATM: A Case Study	422
Available Bit Rate Protocol	423
The Four Options of ATM	424
Efficient Network Loading	424
ATM, TCP/IP Comparison	425
The IP QoS Network	427
The Future of ATM: An All-IP Replacement	427
IP Wireless: A Summary	428
The IPv4-to-IPv6 Transition	428
IP Traffic Management	428
IP-Based Network Management	429
IP-Based Mobility Management	429
IP-Based Access Management	429
Mobile Ad Hoc Networks	431
The Internet Protocol Alternative	432
Zone and Interzone Routing	432
Route Discovery and Route Maintenance Protocols	434
IP Terminology Used in Ad Hoc Network Design	434
Administering Ad Hoc User Groups	436
A Sample Application	436
Achieving Protocol Stability	436
Macro Mobility in Public Access Networks	437
Mobile IP	437
Macro Mobility Management	438
Use of IP in Network Management	438
The Impact of Distributed Hardware and Distributed Software in a 3G Network	440
IP over Everything	441
A Note about Jumbograms: How Large Is that Packet in Your Pocket?	441
Software-Defined Networks	442
The Argument for Firmware	443
3G Network Considerations	444
Summary	444
<b>Chapter 18 Service Level Agreements</b>	<b>445</b>
Managing the Variables	445
Defining and Monitoring Performance	446
Determining Internet Service Latency	446
Addressing Packet Loss Issues	446
Network Latency and Application Latency	447
QoS and Available Time	447

Billing and Proof-of-Performance Reporting	448
Real-Time or Historical Analysis	448
Measuring Performance Metrics	448
GPRS Billing	450
Session-Based Billing	451
Toward Simplified Service Level Agreements	452
Qualifying Quality	452
Bandwidth Quality versus Bandwidth Cost	452
Personal and Corporate SLA Convergence	453
Specialist SLAs	453
Range and Coverage	453
Onto Channel Time	454
User Group Configurations	454
Content Capture Applications	454
Specialist Handsets	454
Site-Specific Software Issues	455
Mandatory Interoperability	455
Hardware Physical Test Requirements	455
Specialized Network Solutions	456
The Evolution of Planning in Specialist Mobile Networks	457
Summary	458
<b>Chapter 19 3G Cellular/3G TV Software Integration</b>	<b>461</b>
The Evolution of TV Technology	461
The Evolution of Web-Based Media	462
Resolving Multiple Standards	464
Working in an Interactive Medium	465
Delivering Quality of Service on the Uplink	465
The ATVEF Web TV Standard	466
Integrating SMIL and RTP	466
The Implications for Cellular Network Service	467
Device-Aware Content	468
The Future of Digital Audio and Video Broadcasting	468
Planning the Network	470
The Difference Between Web TV, IPTV, and Digital TV	473
Co-operative Networks	474
Summary	475
<b>Chapter 20 Network Software Evolution</b>	<b>477</b>
A Look at Converging Industries and Services	477
Managing Storage	478
Managing Content	478
Using Client/Server Agent Software	479
Delivering Server and Application Transparency	480
Storage Area Networks	480
Application Persistency	481
Interoperability and Compatibility	482
The Relationship of Flexibility and Complexity	482

Network Software Security	484
Model-Driven Architectures	485
Testing Network Performance	485
The Challenge of Software Testing	486
Test Languages	487
Measuring and Managing Consistency	488
Why Is Consistency Important?	488
3G Consistency Metrics	488
Summary	489
The Phases of Cellular Technologies	490
Preserving Bursty Bandwidth Quality	493
<b>Appendix Resources</b>	<b>495</b>
<b>Index</b>	<b>503</b>