

# Contents

Preface	xv
Acknowledgments	xxi
 Part I GSM in the light of today	 1
<b>1 The changing scene—again</b>	<b>3</b>
1.1 The digital cellular evolution	4
1.2 Basic market figures and the system standards	6
1.2.1 <i>Cellular and personal communications services: market presence and potential</i>	10
1.2.2 <i>Meeting the demands</i>	13
1.3 Aspects on marketing the product	17
1.3.1 <i>Service providers</i>	18
1.3.2 <i>Fulfillment houses</i>	20
1.4 Phones: shrink them, drop their price, and grow their features	20
1.4.1 <i>What's your size?</i>	21

1.4.2	<i>How long can you stand by?</i>	21
1.4.3	<i>Ninety-nine cents?</i>	22
1.4.4	<i>What can you do that I can't?</i>	23
1.4.5	<i>Multiple bands and multiple modes</i>	23
1.5	What is personal communications?	26
1.5.1	<i>PCS: defining the requirements</i>	27
1.5.2	<i>PCS: the technical solutions to the requirements</i>	30
1.5.3	<i>PCS and what system technology?</i>	36
1.5.4	<i>Where does it lead?</i>	37
1.5.5	<i>GSM and PCS in the United States: an overview</i>	42
	<i>References</i>	x

## 2

## **From Pan-European mobile telephone to global system for mobile communications** **51**

2.1	GSM: what it was meant to be and what it became	52
2.1.1	<i>The initial goals of GSM</i>	52
2.1.2	<i>The initial results</i>	52
2.1.3	<i>First experiences</i>	54
2.1.4	<i>PCN networks and DCS 1800</i>	55
2.1.5	<i>PCS 1900</i>	59
2.1.6	<i>UIC</i>	63
2.2	The role of the GSM MoU	65
2.3	ETSI and the Special Mobile Group	67
2.4	Standards: the present and the future	69
2.4.1	<i>GSM Phase 1</i>	72
2.4.2	<i>GSM Phase 2</i>	72
2.4.3	<i>GSM Phase 2+</i>	74
2.5	GSM type approval issues	75
2.5.1	<i>The objectives</i>	77
2.5.2	<i>The authorities</i>	78

<b>3</b>	<b>A look over the fence</b>	<b>81</b>
3.1	Competition or complement?	83
3.1.1	<i>Cellular and personal communications</i>	83
3.1.2	<i>Cordless access</i>	84
3.1.3	<i>Wireless in the local loop</i>	85
3.2	What else is out there?	86
3.2.1	<i>Digital Enhanced Cordless Telecommunications</i>	88
3.2.2	<i>Personal Handy Phone System</i>	96
3.2.3	<i>Personal Access Communications System</i>	96
3.2.4	<i>CDMA (IS-95)</i>	101
3.2.5	<i>TDMA (IS-136)</i>	104
3.2.6	<i>IS-661</i>	111
3.3	Noncellular digital trunking systems	117
3.4	Interference and health issues	122
	<i>References</i>	125
<b>Part II</b>	<b>GSM services and features</b>	<b>127</b>
<b>4</b>	<b>The development of GSM standards and features</b>	<b>129</b>
4.1	Phase 1	132
4.1.1	<i>Phase 1 teleservices</i>	132
4.1.2	<i>Phase 1 bearer services</i>	132
4.1.3	<i>Phase 1 supplementary services</i>	133
4.2	Phase 2	134
4.2.1	<i>Phase 2 teleservices</i>	134
4.2.2	<i>Phase 2 supplementary services</i>	135
4.2.3	<i>Phase 2 network improvements</i>	136

4.3	Phase 2+	138
4.3.1	<i>Release 96</i>	138
4.3.2	<i>Release 97</i>	143
4.4	Conclusion	144
	<i>References</i>	146
<b>5</b>	<b>GSM telecommunication services</b>	<b>147</b>
5.1	Bearer services in GSM	149
5.2	Teleservices in GSM	152
5.3	Connection types in a GSM PLMN	152
5.3.1	<i>Lower layer capabilities</i>	153
5.3.2	<i>Connections</i>	153
5.3.3	<i>Attributes between two networks</i>	155
5.4	Rate adaptation	157
5.4.1	<i>Error protection</i>	163
5.4.2	<i>Terminal equipment and mobile termination</i>	164
5.5	Radio link protocol	165
5.5.1	<i>Frame structure</i>	166
5.5.2	<i>Control of RLP</i>	167
5.5.3	<i>Error recovery</i>	171
5.5.4	<i>RLP summary</i>	171
5.6	Access to different networks	172
5.6.1	<i>Transmission into the PSTN</i>	172
5.6.2	<i>Facsimile transmission</i>	174
5.6.3	<i>Transmission into the ISDN</i>	175
5.6.4	<i>Transmission into the PSPDN</i>	175
5.6.5	<i>Transmission into the CSPDN</i>	177
5.7	Fax services	178
5.7.1	<i>End-to-end view via the GSM infrastructure</i>	179

5.7.2	<i>Configuration at the mobile station</i>	181
5.7.3	<i>Transparent fax service</i>	182
5.7.4	<i>Nontransparent fax service</i>	185
5.7.5	<i>In-call modification</i>	186
5.8	<i>Connecting a mobile station to external devices</i>	187
5.8.1	<i>Application for short message services</i>	188
5.8.2	<i>Remote control of mobile equipment</i>	190
5.9	<i>Future developments</i>	193
5.9.1	<i>High-speed circuit-switched data</i>	194
5.9.2	<i>General packet radio service</i>	199
5.9.3	<i>Packet data on signaling channels</i>	202
5.9.4	<i>The 14.4-Kbps user data rate</i>	204
5.9.5	<i>Facsimile enhancements</i>	204
5.9.6	<i>General bearer services</i>	205
5.9.7	<i>Emergency call with additional data transfer</i>	206
	<i>References</i>	206
<b>6</b>	<b>Short message service</b>	<b>211</b>
6.1	<i>Short message service: point to point</i>	212
6.1.1	<i>Implementation of point-to-point SMS in the network</i>	213
6.1.2	<i>Alphabet of SMS</i>	228
6.1.3	<i>Example of a SMS-MT message frame</i>	228
6.1.4	<i>Problems that can occur while sending short messages</i>	231
6.1.5	<i>SMS and supplementary services</i>	232
6.1.6	<i>Use of additional devices for SMS</i>	233
6.1.7	<i>The future</i>	235
6.2	<i>SMS cell broadcast</i>	237
6.2.1	<i>Implementation of CB in the network</i>	238
6.2.2	<i>Contents of a cell broadcast message</i>	240
6.2.3	<i>Future developments for cell broadcast</i>	243
	<i>References</i>	244

<b>7</b>	<b>Supplementary services</b>	<b>245</b>
7.1	Introduction to supplementary services	246
7.1.1	<i>Network entities</i>	248
7.1.2	<i>Password handling</i>	251
7.2	Call forwarding supplementary service	252
7.2.1	<i>General behavior of call forwarding services</i>	253
7.2.2	<i>Operation of call forwarding</i>	255
7.2.3	<i>Conflicts for call forwarding</i>	259
7.2.4	<i>Who pays for what?</i>	260
7.3	Call barring supplementary services	262
7.3.1	<i>Call barring for incoming and outgoing calls</i>	263
7.3.2	<i>Applicability of call barring</i>	264
7.3.3	<i>Restrictions to call barring</i>	265
7.4	Line identification supplementary services	266
7.4.1	<i>Calling line identification</i>	266
7.4.2	<i>Connected line identification</i>	268
7.5	Call waiting	268
7.6	Call holding	271
7.7	Multiparty communication supplementary service	272
7.8	Advice of charge supplementary service	275
7.8.1	<i>Charge advice information</i>	276
7.8.2	<i>Advice of charge (information)</i>	277
7.8.3	<i>Advice of charge (charging)</i>	278
7.9	Closed user group supplementary services	279
7.10	Unstructured supplementary services data	281
7.11	Implementation of SS in a GSM mobile station	283
7.11.1	<i>Implementation of non-call-related SS</i>	284
7.11.2	<i>Implementation of call-related SS</i>	288

7.11.3	<i>Implementation into a menu structure of an MS</i>	288
7.12	Additional implementations in the mobile phone	289
7.13	Future developments for Phase 2+	290
7.13.1	<i>Call deflection</i>	291
7.13.2	<i>Call forwarding enhancements</i>	291
7.13.3	<i>Call transfer</i>	291
7.13.4	<i>Call completion services</i>	292
7.13.5	<i>Direct subscriber access and direct subscriber access restriction</i>	295
7.13.6	<i>Malicious call identification</i>	295
7.13.7	<i>Mobile access hunting</i>	296
7.13.8	<i>Support of private numbering plan</i>	296
7.13.9	<i>Multiple subscriber profile</i>	296
7.13.10	<i>Universal access to freephone numbers</i>	297
7.13.11	<i>Premium rate service</i>	297
7.13.12	<i>Charging</i>	298
7.13.13	<i>User-to-user signaling</i>	299
	<i>References</i>	300

<b>8</b>	<b>The subscriber identity module</b>	<b>303</b>
8.1	Memory structure	305
8.2	Security	306
8.3	Phase 1 SIM	309
8.4	Phase 2 SIM	310
8.5	Phase 2+ SIM	323
8.6	The SIM initialization process	332
8.7	Electrical characteristics of the SIM	333
8.7.1	<i>SIM Power Supply</i>	333
8.7.2	<i>SIM memory</i>	334
8.7.3	<i>SIM architecture</i>	336
8.8	Outlook for future applications	338

8.8.1	<i>NATELsicap by Swisscom</i>	339
8.8.2	<i>Prepaid SIM</i>	340
8.8.3	<i>Future parameters</i>	343
	<i>References</i>	344
<b>9</b>	<b>New Phase 2+ functions</b>	<b>345</b>
9.1	SIM application toolkit	346
9.1.1	<i>Overview of the SIM application toolkit</i>	346
9.1.2	<i>Profile download</i>	347
9.1.3	<i>Proactive SIM</i>	347
9.1.4	<i>Data download to SIM</i>	350
9.1.5	<i>Applications using the SIM application toolkit</i>	353
9.1.6	<i>Conclusion</i>	357
9.2	Customized applications for mobile network enhanced logic (CAMEL)	357
9.2.1	<i>Functional description of CAMEL</i>	358
9.2.2	<i>Network architecture</i>	359
9.2.3	<i>A CAMEL example</i>	360
9.3	Railway applications	361
9.3.1	<i>Enhanced multilevel precedence and preemption</i>	361
9.3.2	<i>Voice group call service</i>	365
9.3.3	<i>Voice broadcast service</i>	368
	<i>References</i>	369
<b>10</b>	<b>Roaming and call routing</b>	<b>371</b>
10.1	Routing in GSM PLMNs	372
10.1.1	<i>Location registration</i>	372
10.1.2	<i>Routing within a PLMN</i>	375
10.1.3	<i>Call routing when a mobile station is roaming</i>	376
10.2	Charging principles	378



10.2.1	<i>National call charges</i>	378
10.2.2	<i>Call charges when roaming</i>	379
10.2.3	<i>Call forwarding</i>	380
10.2.4	<i>More exceptions to the rule</i>	380
10.3	Phase 2+: support of optimal routing (SOR)	381
10.3.1	<i>Roaming mobile subscriber</i>	382
10.3.2	<i>Call forwarding to home country</i>	382
10.3.3	<i>Call forwarding to visited country</i>	384
10.4	Conclusion	384
	<i>References</i>	385
<b>Part III</b>	<b>GSM technology and implementation</b>	<b>387</b>
<b>11</b>	<b>Introduction to GSM technology and implementation</b>	<b>389</b>
11.1	Breaking GSM down	391
11.1.1	<i>Physical and logical blocks of a GSM mobile station</i>	391
11.1.2	<i>Physical and logical blocks of a GSM base station</i>	396
11.2	Transmitters and receivers	397
11.2.1	<i>Transmitters</i>	398
11.2.2	<i>Receivers</i>	402
11.3	MS and BTS—new roads to the ultimate radio	410
11.4	Baseband signal processing	412
11.5	Speech coding and speech quality in GSM	415
11.5.1	<i>Speech coding tutorial</i>	415
11.5.2	<i>Speech quality</i>	422
11.5.3	<i>DTMF and signaling tones</i>	423
11.5.4	<i>GSM full-rate speech coding</i>	424
11.5.5	<i>GSM half-rate speech coding</i>	424
11.5.6	<i>GSM enhanced full-rate speech coding</i>	425

11.5.7	<i>Complexity comparison FR-HR-EFR</i>	427
11.5.8	<i>The future for GSM speech coding</i>	427
11.5.9	<i>Speech coding and ...</i>	429
11.6	Equalizers	433
11.6.1	<i>The problem—ISI</i>	435
11.6.2	<i>General equalizers</i>	441
11.6.3	<i>Viterbi equalizer</i>	444
11.7	Encryption and security in GSM	459
11.7.1	<i>Algorithms and keys</i>	459
11.7.2	<i>Ciphering in GSM</i>	460
11.7.3	<i>Regulations</i>	461
11.7.4	<i>Security vs. fraud</i>	461
11.8	Mixed signals	462
11.9	Microprocessor control	465
11.10	GSM timing	466
11.11	Components and technology	468
11.12	Guide to the literature	470
11.12.1	<i>General radio design</i>	470
11.12.2	<i>Coding and its mathematics</i>	470
11.12.3	<i>Digital radio</i>	471
	<i>References</i>	471
<b>Appendix: Coding of the default GSM alphabet</b>		<b>475</b>
<b>Glossary</b>		<b>477</b>
<b>About the authors</b>		<b>499</b>
<b>Index</b>		<b>501</b>