List of Tables, Code Examples, and Figures

Tables

- 2-1 Hash codes resulting from the hashCode function
- 2-2 Hash codes of objects with identical contents
- 2-3 Adding elements into hash and tree sets
- 3-1 Convenience methods for response header values
- 4-1 The Authors table
- 4-2 The Books table
- 4-3 The BooksAuthors table
- 4-4 The Publishers table
- 4-5 SQL Data Types
- 4-6 SQL data types and their corresponding Java language types
- 4-7 Selected queries
- 4-8 ResultSet type values
- 4-9 ResultSet concurrency values
- 4-10 Five columns of the result set
- 5-1 Naming conventions for RMI classes
- 6-1 Default renderers
- 6-2 Resize modes
- 7-1 The Porter-Duff Composition Rules
- 7-2 Rendering Hints
- 7-3 Document Flavors for Print Services
- 7-4 Printing Attributes
- By ViTo @ ROR & BT

- 7-5 Capabilities of the Java data transfer mechanism
- 7-6 Data Transfer Support in Swing Components
- 9-1 Call stack during permission checking
- 9-2 Permissions and their associated targets and actions
- 10-1 Common ISO-639 language codes
- 10-2 Common ISO-3166 country codes
- 10-3 Collations with different strengths
- 10-4 String selected by ChoiceFormat
- 11-1 Java types and C types
- 11-2 Correspondence between Java array types and C types
- 12-1 Rules for Element Content
- 12-2 Attribute types
- 12-3 Attribute defaults

Code Examples

- 1-1 Bounce.java
- 1-2 BounceThread.java
- 1-3 BounceExpress.java
- 1-4 BounceSelfish.java
- 1-5 UnsynchBankTest.java
- 1-6 SynchBankTest.java
- 1-7 SwingThreadTest.java
- 1-8 Animation.java
- 1-9 TimerTest.java
- 1-10 ProgressBarTest.java
- By ViTo @ RoR & BT

- 1-11 ProgressMonitorTest.java
- 1-12 ProgressMonitorInputStreamTest.java
- 1-13 PipeTest.java
- 2-1 LinkedListTest.java
- 2-2 SetTest.java
- 2-3 TreeSetTest.java
- 2-4 MapTest.java
- 2-5 ShuffleTest.java
- 2-6 SystemInfo.java
- 2-7 CustomWorld.java
- 2-8 Sieve.java
- 2-9 Sieve.cpp
- 3-1 SocketTest.java
- 3-2 EchoServer.java
- 3-3 ThreadedEchoServer.java
- 3-4 MailTest.java
- 3-5 InetAddressTest.java
- 3-6 URLConnectionTest.java
- 3-7 PostTest.java
- 3-8 WeatherApplet.java
- 3-9 ProxySvr.java
- 3-10 proxysvr.c
- 3-11 proxysvr.pl
- 4-1 TestDB.java
- By ViTo @ RoR & BT

- 4-2 ExecSQL.java
- 4-3 QueryDB.java
- 4-4 ViewDB.java
- 5-1 ProductServer.java
- 5-2 ProductImpl.java
- 5-3 Product.java
- 5-4 ShowBindings.java
- 5-5 ProductClient.java
- 5-6 Product.java
- 5-7 Warehouse.java
- 5-8 ProductImpl.java
- 5-9 Customer.java
- 5-10 Warehouse.java
- 5-11 WarehouseImpl.java
- 5-12 WarehouseServer.java
- 5-13 WarehouseClient.java
- 5-14 WarehouseApplet.java
- 5-15 WarehouseApplet.html
- 5-16 ProductImpl.java
- 5-17 ProductActivator.java
- 5-18 rmid.policy
- 5-19 server.policy
- 5-20 client.policy
- 5-21 EnvClient.java
- By ViTo @ RoR & BT

- 5-22 EnvServer.cpp
- 5-23 SysPropServer.java
- 5-24 SysPropClient.cpp
- 6-1 ListTest.java
- 6-2 LongListTest.java
- 6-3 ListRenderingTest.java
- 6-4 SimpleTree.java
- 6-5 TreeEditTest.java
- 6-6 ClassTree.java
- 6-7 ClassBrowserTest.java
- 6-8 ObjectInspectorTest.java
- 6-9 PlanetTable.java
- 6-10 InvestmentTable.java
- 6-11 ResultSetTable.java
- 6-12 TableSortTest.java
- 6-13 TableCellRenderTest.java
- 6-14 TableSelectionTest.java
- 6-15 EditorPaneTest.java
- 6-16 SplitPaneTest.java
- 6-17 TabbedPaneTest.java
- 6-18 InternalFrameTest.java
- 7-1 ShapeTest.java
- 7-2 AreaTest.java
- 7-3 StrokeTest.java
- By ViTo @ RoR & BT

- 7-4 PaintTest.java
- 7-5 TransformTest.java
- 7-6 ClipTest.java
- 7-7 CompositeTest.java
- 7-8 RenderQualityTest.java
- 7-9 ImageIOTest.java
- 7-10 MandelbrotTest.java
- 7-11 ImageProcessingTest.java
- 7-12 PrintTest.java
- 7-13 BookTest.java
- 7-14 PrintServiceTest.java
- 7-15 StreamPrintServiceTest.java
- 7-16 TextTransferTest.java
- 7-17 ImageTransferTest.java
- 7-18 LocalTransferTest.java
- 7-19 SerialTransferTest.java
- 7-20 DropTargetTest.java
- 7-21 DragSourceTest.java
- 7-22 SwingDnDTest.java
- 8-1 ImageViewerBean.java
- 8-2 FileNameBean.java
- 8-3 IntTextBean.java
- 8-4 RangeBean.java
- 8-5 TimerBean.java
- By ViTo @ RoR & BT

- 8-6 TimerListener.java
- 8-7 TimerEvent.java
- 8-8 ChartBean.java
- 8-9 ChartBeanBeanInfo.java
- 8-10 TitlePositionEditor.java
- 8-11 InverseEditor.java
- 8-12 InverseEditorPanel.java
- 8-13 DoubleArrayEditor.java
- 8-14 DoubleArrayEditorPanel.java
- 8-15 ChartBeanBeanInfo.java
- 8-16 ChartBeanCustomizer.java
- 8-17 SpinBean.java
- 8-18 SpinBeanCustomizer.java
- 8-19 SpinBeanBeanInfo.java
- 9-1 ClassLoaderTest.java
- 9-2 Caesar.java
- 9-3 VerifierTest.java
- 9-4 PermissionTest.java
- 9-5 WordCheckPermission.java
- 9-6 SecurityManagerTest.java
- 9-7 WordCheckSecurityManager.java
- 9-8 AuthTest.java
- 9-9 LineCount.java
- 9-10 AuthTest.policy
- By ViTo @ RoR & BT

- 9-11 jaas.config
- 9-12 MessageDigestTest.java
- 9-13 SignatureTest.java
- 9-14 CertificateSigner.java
- 9-15 FileReadApplet.java
- 9-16 DESTest.java
- 9-17 RSATest.java
- 10-1 NumberFormatTest.java
- 10-2 DateFormatTest.java
- 10-3 CollationTest.java
- 10-4 TextBoundaryTest.java
- 10-5 Retire.java
- 10-6 RetireResources.java
- 10-7 RetireResources_de.java
- 10-8 RetireResources_zh.java
- 10-9 RetireStrings.properties
- 10-10 RetireStrings_de.properties
- 10-11 RetireStrings_zh.properties
- 11-1 HelloNative.h
- 11-2 HelloNative.c
- 11-3 HelloNative.java
- 11-4 HelloNativeTest.java
- 11-5 Printf1.java
- 11-6 Printf1.c
- By ViTo @ RoR & BT

- 11-7 Printf1Test.java
- 11-8 Printf2Test.java
- 11-9 Printf2.java
- 11-10 Printf2.c
- 11-11 EmployeeTest.java
- 11-12 Employee.java
- 11-13 Employee.c
- 11-14 Printf3Test.java
- 11-15 Printf3.java
- 11-16 Printf3.c
- 11-17 Printf4.c
- 11-18 Printf4.java
- 11-19 Printf4Test.java
- 11-20 InvocationTest.c
- 11-21 Win32RegKey.java
- 11-22 Win32RegKey.c
- 11-23 Win32RegKeyTest.java
- 12-1 DOMTreeTest.java
- 12-2 GridBagTest.java
- 12-3 fontdialog.xml
- 12-4 GridBagPane.java
- 12-5 gridbag.dtd
- 12-6 SAXTest.java
- 12-7 XMLWriteTest.java
- By ViTo @ RoR & BT

- 12-8 TransformTest.java
- 12-9 makehtml.xsl
- 12-10 makeprop.xsl

Figures

- 1-1 Using a thread to animate a bouncing ball
- 1-2 The Event Dispatch and Ball Threads
- 1-3 Multiple threads
- 1-4 Time-slicing on a single CPU
- 1-5 Thread states
- 1-6 Threads with different priorities
- 1-7 Simultaneous access by two threads
- 1-8 Comparison of unsynchronized and synchronized threads
- 1-9 A deadlock situation
- 1-10 Exception reports in the console
- 1-11 Threads in a Swing program
- 1-12 This file has 36 images of a globe
- 1-13 Picking a frame from a strip of frames
- 1-14 Clock threads
- 1-15 A progress bar
- 1-16 A progress monitor dialog
- 1-17 A progress monitor for an input stream
- 1-18 A sequence of pipes
- 2-1 A queue
- 2-2 Queue implementations
- By ViTo @ RoR & BT

- 2-3 Advancing an iterator
- 2-4 Removing an element from an array
- 2-5 A doubly linked list
- 2-6 Removing an element from a linked list
- 2-7 Adding an element to a linked list
- 2-8 A hash table
- 2-9 A Linked Hash Table
- 2-10 The interfaces of the collections framework
- 2-11 Classes in the collections framework
- 2-12 Legacy classes in the collections framework
- 2-13 The customized Hello World program
- 3-1 Output of the "time of day" service
- 3-2 A client connecting to a server port
- 3-3 Using telnet to access an HTTP port
- 3-4 Accessing an echo server
- 3-5 Simultaneous access to the threaded echo server
- 3-6 The MailTest program
- 3-7 A network password dialog
- 3-8 An HTML form
- 3-9 Data flow during execution of a CGI script
- 3-10 A web form to request census data
- 3-11 The WeatherReport applet
- 3-12 Applet security disallows connection to a third party
- 3-13 A firewall provides security
- By ViTo @ RoR & BT

- 3-14 Data flow in the weather report applet
- 4-1 JDBC-to-database communication path
- 4-2 A client/server application
- 4-3 A three-tier application
- 4-4 Sample table containing the HTML books
- 4-5 Two tables joined together
- 4-6 The QueryDB application
- 4-7 A GUI view of a query result
- 4-8 The ViewDB application
- 5-1 Transmitting objects between client and server
- 5-2 Invoking a remote method on a server object
- 5-3 Parameter marshalling
- 5-4 Inheritance diagram
- 5-5 Calling the remote getDescription method
- 5-6 Obtaining product suggestions from the server
- 5-7 Copying local parameter and result objects
- 5-8 Only the ProductImpl methods are remote
- 5-9 BookImpl has additional remote methods
- 5-10 Inheritance of equals and hashCode methods
- 5-11 The warehouse applet
- 6-1 A list box
- 6-2 Choosing from a very long list of selections
- 6-3 A list box with rendered cells
- 6-4 A directory tree
- By ViTo @ RoR & BT

- 6-5 A hierarchy of countries, states, and cities
- 6-6 Tree terminology
- 6-7 Tree classes
- 6-8 A simple tree
- 6-9 The initial tree display
- 6-10 Collapsed and expanded subtrees
- 6-11 A tree with the Windows look and feel
- 6-12 A tree with no connecting lines
- 6-13 A tree with the horizontal line style
- 6-14 A tree with a root handle
- 6-15 A forest
- 6-16 Leaf icons
- 6-17 Editing a tree
- 6-18 A tree path
- 6-19 The scroll pane scrolls to display a new node
- 6-20 The Default Cell Editor
- 6-21 Tree traversal orders
- 6-22 An inheritance tree
- 6-23 A class browser
- 6-24 An object inspection tree
- 6-25 A simple table
- 6-26 Moving a column
- 6-27 Resizing columns
- 6-28 Growth of an investment
- By ViTo @ RoR & BT

- 6-29 Displaying a query result in a table
- 6-30 Sorting the rows of a table
- 6-31 A table model filter
- 6-32 A table with cell renderers
- 6-33 A cell editor
- 6-34 Relationship between Table classes
- 6-35 Editing the cell color with a color chooser
- 6-36 Selecting a row
- 6-37 Selecting a range of cells
- 6-38 The editor pane displaying an HTML page
- 6-39 The editor pane in edit mode
- 6-40 A frame with two nested split panes
- 6-41 A tabbed pane
- 6-42 A tabbed pane with scrolling tabs
- 6-43 A multiple document interface application
- 6-44 A Java application with three internal frames
- 6-45 Cascaded internal frames
- 6-46 Tiled internal frames
- 6-47 The user can veto the close property
- 7-1 The rendering pipeline
- 7-2 The bounding rectangle of an ellipse and an arc
- 7-3 Relationships between the shape classes
- 7-4 Constructing a RoundRectangle2D
- 7-5 Constructing an elliptical arc
- By ViTo @ RoR & BT

- 7-6 Arc types
- 7-7 A quadratic curve
- 7-8 A cubic curve
- 7-9 The ShapeTest program
- 7-10 Constructive Area Geometry Operations
- 7-11 The AreaTest Program
- 7-12 End Cap Styles
- 7-13 Join Styles
- 7-14 A dash pattern
- 7-15 The StrokeTest program
- 7-16 Gradient paint
- 7-17 Texture paint
- 7-18 User and device coordinates
- 7-19 The fundamental transformations
- 7-20 Composing transformations
- 7-21 The TransformTest program
- 7-22 The ClipTest program
- 7-23 Overlaying a partially transparent rectangle on an image
- 7-24 Designing a Composition Rule
- 7-25 Porter-Duff Composition Rules
- 7-26 The CompositeTest program
- 7-27 Antialiasing
- 7-28 The RenderingHints program
- 7-29 An Animated GIF Image
- By ViTo @ RoR & BT

- 7-30 A Mandelbrot set
- 7-31 A rotated image
- 7-32 Blurring an image
- 7-33 Edge detection
- 7-34 A Cross-Platform Print Dialog
- 7-35 Page format measurements
- 7-36 A Cross-Platform Page Setup Dialog
- 7-37 A Windows print dialog
- 7-38 A Windows page setup dialog
- 7-39 A banner
- 7-40 Printing a page of a banner
- 7-41 A print preview dialog
- 7-42 Viewing a PostScript File
- 7-43 The Attribute Hierarchy
- 7-44 The Attribute Set Hierarchy
- 7-45 The TextTransferTest program
- 7-46 The Windows clipboard viewer after a copy
- 7-47 Copying from a Java program to a native program
- 7-48 Copying from a native program to a Java program
- 7-49 Transferring Local Objects
- 7-50 Data is copied between two instances of a Java application
- 7-51 Initiating a drag operation
- 7-52 Cursor shapes over drop targets
- 7-53 The DropTargetTest program
- By ViTo @ RoR & BT

- 7-54 The DragSourceTest program
- 7-55 The Swing Drag and Drop Test Program
- 8-1 The Properties window in Visual Basic for an image application
- 8-2 A Calendar Bean
- 8-3 Adding a Bean to a Palette in Forte
- 8-4 Building a New Form
- 8-5 The Form Editor Window
- 8-6 The Code Editor Window
- 8-7 Adding a Bean to a Form
- 8-8 A Property Inspector
- 8-9 Using a property editor to set properties
- 8-10 The ImageViewerBean at work
- 8-11 The Events Tab of the Property Inspector
- 8-12 Event Handling Code in The Edit Window
- 8-13 The range bean
- 8-14 A Veto Message
- 8-15 A Non-visual Bean
- 8-16 Listening to a Custom Event
- 8-17 The chart bean
- 8-18 The property inspector for the chart bean
- 8-19 The TitlePositionEditor at work
- 8-20 A custom editor dialog
- 8-21 The custom editor dialog for editing an array
- 8-22 The customizer for the ChartBean
- By ViTo @ RoR & BT

- 8-23 The spin bean
- 8-24 The customizer of the SpinBean
- 8-25 The SpinBean coupled with an IntTextBean buddy
- 8-26 Bean Contexts
- 8-27 Relationships between the bean context classe
- 8-28 The Message Tracer window
- 9-1 The ClassLoaderTest program
- 9-2 Modifying bytecodes with a hex editor
- 9-3 Loading a corrupted class file raises a method verification error
- 9-4 A security policy
- 9-5 Permission hierarchy in JDK 1.2
- 9-6 Relationship between security classes
- 9-7 The policy tool displaying code sources
- 9-8 The policy tool displaying the permissions for a code source
- 9-9 Editing a permission with the policy tool
- 9-10 The PermissionTest program
- 9-11 The SecurityManagerTest program
- 9-12 Computing a message digest
- 9-13 Public key signature exchange using DSA
- 9-14 Authentication through a trusted intermediary
- 9-15 Authentication through a trusted intermediary's signature
- 9-16 Request for a digital ID
- 9-17 ASN.1 definition of X.509v3
- 9-18 The FileReadApplet program
- By ViTo @ RoR & BT

- 9-19 Launching a signed applet
- 10-1 The NumberFormatTest program
- 10-2 The DateFormatTest program running under Chinese Windows
- 10-3 The CollationTest program
- 10-4 The TextBoundaryTest program
- 10-5 The retirement calculator in English
- 10-6 The retirement calculator in German
- 10-7 The retirement calculator in Chinese
- 11-1 The env pointer
- 11-2 Inheritance hierarchy of array types
- 11-3 The registry editor
- 12-1 The Node interfaces and its subinterfaces
- 12-2 A Simple DOM Tree
- 12-3 A parse tree of an XML document
- 12-4 A font dialog defined by an XML layout
- 12-5 Generating Modern Art
- 12-6 The Apache Batik SVG Viewer
- 12-7 Applying XSL Transformations