

Contents

Preface vii

Acknowledgments xv

Part I: Introducing XML 1

Chapter 1: An Eagle's Eye View of XML 3

- What Is XML? 3
 - XML is a meta-markup language 3
 - XML describes structure and semantics, not formatting 5
- Why Are Developers Excited About XML? 6
 - Domain-specific markup languages 6
 - Self-describing data 7
 - Interchange of data among applications 8
 - Structured data 8
- The Life of an XML Document 9
 - Editors 9
 - Parsers and processors 10
 - Browsers and other applications 10
 - The process summarized 10
- Related Technologies 11
 - HTML 11
 - CSS 12
 - XSL 12
 - URLs and URIs 13
 - XLinks and XPointers 14
 - Unicode 15
 - Putting the pieces together 15
- Summary 16

Chapter 2: XML Applications 17

- What Is an XML Application? 17
 - Chemical Markup Language 18
 - Mathematical Markup Language 19
 - RSS 22
 - Classic literature 25
 - Synchronized Multimedia Integration Language 26

Open Software Description	26
Scalable Vector Graphics	27
MusicXML	29
VoiceXML	34
Open Financial Exchange	36
Extensible Forms Description Language	36
HR-XML	40
XML for XML	43
XSL	43
XLinks	44
Schemas	45
Behind-the-Scene Uses of XML	46
Microsoft Office 2003	46
Netscape's What's Related	49
UPS	52
Summary	54
Chapter 3: Your First XML Document	55
Hello XML	55
Creating a simple XML document	56
Saving the XML file	56
Loading the XML file into a web browser	57
Exploring the Simple XML Document	58
Meaning in Markup	59
Writing a Style Sheet for an XML Document	60
Attaching a Style Sheet to an XML Document	61
Summary	62
Chapter 4: Structuring Data	63
Examining the Data	64
XMLizing the Data	67
The Advantages of the XML Format	87
Preparing a Style Sheet for Document Display	88
Linking to a style sheet	89
Assigning style rules to the root element	90
Assigning style rules to titles	91
The complete style sheet	98
Summary	101
Chapter 5: Attributes, Empty-Element Tags, and XSL	103
Attributes	103
Attributes versus Elements	109
Structured metadata	109
Meta-metadata	113

What's your metadata is someone else's data	113
Elements are more extensible	114
Good times to use attributes	114
Empty Elements and Empty-Element Tags	116
XSL	119
Templates	120
The body of the document	121
The title	123
Stations	126
Shows	129
Sorting	134
Tables	137
CSS or XSL?	143
Summary	144

Chapter 6: Well-formedness 145

Well-formedness Rules	145
XML Documents	146
The XML declaration	147
Single root element	148
Text in XML	148
Elements and Tags	149
Element names	149
Every start-tag must have a corresponding end-tag	150
Empty-element tags	151
Elements may nest but may not overlap	152
Attributes	154
Attribute names	154
Attribute values	154
Predefined attributes	155
Entity References	160
Comments	162
Processing Instructions	164
CDATA Sections	165
Unicode	167
Character encodings	168
The encoding declaration	168
Numeric character references	169
XML 1.1	171
Well-formed HTML	173
Rules for HTML	173
Tools	183
Summary	185

Part II: Document Type Definitions 187

Chapter 7: Validity	189
Document Type Definitions	189
Element Declarations	190
DTD Files	192
Document Type Declarations	192
Internal DTDs	194
Internal and external DTD subsets	195
Public DTDs	196
DTDs and style sheets	197
Validating against a DTD	199
Command-line validators	200
Web-based validators	201
Summary	203
Chapter 8: Element Declarations	205
Analyzing the Document	205
ANY	208
#PCDATA	211
Child Elements	213
+ One or More Children	215
? Zero or One Child	215
* Zero or More Children	216
Choices	216
Parentheses	217
Mixed Content	220
Empty Elements	221
Comments in DTDs	223
Summary	227
Chapter 9: Attribute Declarations	229
What Is an Attribute?	229
Declaring Attributes	230
Declaring Multiple Attributes	231
Alternatives to Default Attribute Values	232
#REQUIRED	232
#IMPLIED	233
#FIXED	234
Attribute Types	235
The CDATA attribute type	235
The NMTOKEN attribute type	236

The NMTOKENS attribute type	236
The enumerated attribute type	237
The ID attribute type	238
The IDREF attribute type	238
The IDREFS attribute type	239
The ENTITY attribute type	240
The ENTITIES attribute type	241
The NOTATION attribute type	241
A DTD for Attribute-Based Television Listings	242
Declaring SCHEDULE attributes	243
Declaring STATION attributes	243
Declaring SHOW attributes	244
Declaring person attributes	245
The complete DTD for the television listings example	246
Summary	248
Chapter 10: Entity Declarations	249
What Is an Entity?	249
Internal General Entities	250
Defining an internal general entity reference	251
Using general entity references in the DTD	254
Predefined general entity references	255
External General Entities	256
Text declarations	258
Nonvalidating parsers	260
Internal Parameter Entities	260
External Parameter Entities	263
Building a Document from Pieces	269
Non-XML Data	274
Notations	275
Unparsed entities	278
Conditional Sections	283
Summary	284
Chapter 11: Namespaces	287
The Need for Namespaces	287
Namespace Syntax	289
Defining namespaces with xmlns attributes	291
Multiple namespaces	294
Attributes	298
Default namespaces	300
Namespaces and Validity	304
Summary	307

Part III: Style Languages**309****Chapter 12: CSS Style Sheets 311**

What Are Cascading Style Sheets?	311
A simple CSS style sheet	312
Comments	312
Attaching style sheets to documents	313
DTDs and style sheets	316
CSS1 versus CSS2	316
CSS3	317
Selecting Elements	317
The universal selector	320
Grouping selectors	320
Hierarchy selectors	321
Attribute selectors	323
ID selectors	324
Pseudo-elements	324
Pseudo-classes	326
Inheritance	328
Cascades	329
Different Rules for Different Media	330
Importing Style Sheets	332
Character Sets	333
Summary	333

Chapter 13: CSS Layouts 335

CSS Units	335
Length values	337
URL values	339
Color values	340
System colors	341
Keyword values	343
Strings	343
The Display Property	343
Inline elements	347
Block elements	348
None	348
Compact and run-in elements	350
Marker	350
Tables	350
List items	351
Box Properties	356
Margin properties	356
Border properties	358
Padding properties	363

Size	364
The width and height properties	365
The min-width and min-height properties	367
The max-width and max-height properties	367
The overflow property	368
Positioning	369
The position property	369
Stacking elements with the z-index property	373
The float property	373
The clear property	374
Formatting Pages	375
@page	375
The size property	376
The margin property	376
The mark property	377
The page property	377
Controlling page breaks	377
Widows and orphans	379
Summary	379

Chapter 14: CSS Text Styles 381

Fonts	381
Choosing the font family	382
Choosing the font style	384
Small caps	385
Setting the font weight	385
Setting the font size	386
The font shorthand property	390
Color	392
Text	392
Word spacing	393
The letter-spacing property	394
The text-decoration property	395
The vertical-align property	396
The text-transform property	397
The text-align property	398
The text-indent property	399
The line-height property	400
The white-space property	402
Backgrounds	404
The background-color property	404
The background-image property	405
The background-repeat property	406
The background-attachment property	408
The background-position property	409
The background shorthand property	413

Visibility	413
Content	414
Quotes	415
Attributes	416
URIs	416
Counters	417
Summary	421

Chapter 15: XSL Transformations 423

What Is XSL?	423
Overview of XSL Transformations	424
Trees	424
XSLT style sheet documents	428
Where does the XML transformation happen?	430
Using xsltproc	430
Browser display of XML files with XSLT style sheets	433
XSL Templates	434
The <code>xsl:apply-templates</code> element	435
The <code>select</code> attribute	437
Computing the Value of a Node with <code>xsl:value-of</code>	437
Processing Multiple Elements with <code>xsl:for-each</code>	439
Patterns for Matching Nodes	440
Matching the root node	440
Matching element names	442
Wildcards	444
Matching children with <code>/</code>	445
Matching descendants with <code>//</code>	446
Matching by ID	447
Matching attributes with <code>@</code>	447
Matching comments with <code>comment()</code>	449
Matching processing instructions with <code>processing-instruction()</code>	450
Matching text nodes with <code>text()</code>	451
Using the <code>or</code> operator <code> </code>	451
Testing with <code>[]</code>	452
XPath Expressions for Selecting Nodes	454
Node axes	455
Expression types	461
The Default Template Rules	471
The default rule for elements	471
The default rule for text nodes and attributes	472
The default rule for processing instructions and comments	472
Implications of the default rules	473
Attribute Value Templates	473
Deciding What Output to Include	475
Inserting elements into the output with <code>xsl:element</code>	475
Inserting attributes into the output with <code>xsl:attribute</code>	476
Defining attribute sets	477

Generating processing instructions with xsl:processing-instruction	478
Generating comments with xsl:comment	479
Generating text with xsl:text	479
Copying the Context Node with xsl:copy	480
Counting Nodes with xsl:number	482
Default numbers	483
Number to string conversion	485
Sorting Output	486
Modes	490
Defining Constants with xsl:variable	492
Named Templates	493
Passing Parameters to Templates	495
Stripping and Preserving White Space	496
Making Choices	497
xsl:if	498
xsl:choose	498
Merging Multiple Style Sheets	499
Importing with xsl:import	499
Inclusion with xsl:include	500
Output Methods	500
XML Declaration	501
Document Type Declaration	502
Indentation	503
CDATA sections	504
Summary	504

Chapter 16: XSL Formatting Objects 507

Formatting Objects and Their Properties	507
Formatting properties	510
Transforming to formatting objects	514
Using FOP	516
Page Layout	518
The root element	518
Simple page masters	518
Regions	520
Page sequences	522
Page sequence masters	530
Content	533
Block-level formatting objects	534
Inline formatting objects	534
Table formatting objects	535
Out-of-line formatting objects	536
Leaders and Rules	536
Graphics	539
fo:external-graphic	539
fo:instream-foreign-object	541
Graphic properties	544

Links	545
Lists	547
Tables	551
Inlines	556
Footnotes	557
Floats	558
Formatting Properties	559
The id property	559
The language property	559
Paragraph properties	560
Character properties	563
Sentence properties	565
Area properties	567
Summary	575

Part IV: Supplemental Technologies

577

Chapter 17: XLinks 579

XLinks versus HTML Links	579
Linking Elements	580
Declaring XLink Attributes in Document Type Definitions	582
Descriptions of the Remote Resource	584
Link Behavior	585
The xlink:show attribute	585
The xlink:actuate attribute	587
Extended Links	589
Extended Link Syntax	590
Arcs	595
Out-of-Line Links	601
XML Base	607
Summary	614

Chapter 18: XPointers 617

Why XPointers?	617
XPointer Examples	618
A Concrete Example	621
Location Paths, Steps, and Sets	623
The Root Node	625
Axes	626
The child axis	627
The descendant axis	628
The descendant-or-self axis	628
The parent axis	628
The self axis	628
The ancestor axis	629

The ancestor-or-self axis	629
The preceding axis	629
The following axis	629
The preceding-sibling axis	630
The following-sibling axis	630
The attribute axis	630
The namespace axis	630
Node Tests	631
Predicates	633
Functions That Return Node-Sets	635
id()	636
here()	637
origin()	638
Points	638
Ranges	640
Range functions	640
String ranges	641
Child Sequences	643
Summary	644
Chapter 19: XInclude	647
Use Cases for XInclude	648
Non-Solutions	651
DTDs	651
Embedded XLinks	652
Server-side includes	653
The xinclude:include Element	655
Validating Documents That Use XInclude	658
XPointers in XInclude	660
Unparsed Text	662
Fallbacks	663
Summary	665
Chapter 20: Schemas	667
What's Wrong with DTDs?	667
What Is a Schema?	669
The W3C XML Schema Language	671
Hello Schemas	671
The greeting schema	672
Validating the document against the schema	673
Complex Types	675
minOccurs and maxOccurs	677
Element content	680
Sharing content models	682
Anonymous types	683
Mixed content	685

Grouping	686
The xsd:all Group	688
Choices	689
Sequences	690
Simple Types	690
Numeric data types	692
Time data types	695
XML data types	696
String data types	697
Binary types	698
Miscellaneous data types	699
Deriving Simple Types	700
Deriving by restriction	700
Facets	702
Facets for strings: length, minLength, maxLength	702
The whiteSpace facet	704
Facets for decimal numbers: totalDigits and fractionDigits	705
The enumeration facet	705
The pattern facet	707
Unions	714
Lists	714
Empty Elements	715
Attributes	716
Namespaces	720
Schemas for default namespaces	721
Multiple namespaces, multiple schemas	724
Annotations	727
Summary	728

Part V: XML Applications

731

Chapter 21: XHTML 733

Why Validate HTML?	733
Moving to XHTML	735
Making the document well-formed XML	738
Making the document valid	745
The strict DTD	753
The frameset DTD	767
HTML Tidy	767
Setting the MIME media type	771
What's New in XHTML	772
Character references	772
Custom entity references defined in DTD	776
Encoding declarations	781
The xml:lang attribute	782
CDATA sections	783
Summary	785

Chapter 22: Modular XHTML	787
The Modules of XHTML	787
A Sample DTD Module	790
Element names	793
Element-specific content models	794
Generic content models	795
Generic attribute models	796
INCLUDE and IGNORE blocks	796
Using XHTML entities in other applications	797
The Framework	798
The notations framework module	802
The data types framework module	804
The namespace-qualified names module	805
The common attributes module	807
The character entity modules	808
The Driver DTD	809
The Document Model	816
The XHTML Basic document model	817
A minimal document model	823
A Sample Schema Module	828
Summary	831
Chapter 23: The Resource Directory Description Language	833
What Does a Namespace URL Locate?	834
The Solution	835
The resource Element	836
Natures	843
Purposes	845
Summary	847
Chapter 24: Scalable Vector Graphics	849
What Is SVG?	850
Scalability	851
Vector versus bitmapped graphics	852
A Simple SVG Document	852
Embedding SVG Pictures in Web Pages	855
Simple Shapes	858
The rect element	859
The circle element	861
The ellipse element	862
The line element	863
Polygons and polylines	864
Paths	866
Arcs	869
Curves	872

Text	873
Strings	874
Text on a path	876
Fonts and text styles	878
Text spans	879
Bitmapped Images	879
Coordinate Systems and Viewports	881
The viewport	882
Coordinate systems	883
Grouping Shapes	888
Referencing Shapes	889
Transformations	892
Linking	899
Metadata	900
SVG Editors	903
Summary	904
Chapter 25: Designing a New XML Application	907
Organization of the Data	907
Listing the elements	909
Identifying the fundamental elements	909
Establishing relationships among the elements	912
Choosing a Namespace	914
Persons	915
A sample person	915
The person DTD	918
The person schema	924
Families	932
The family DTD	933
The Family Schema	935
Sources	937
The Family Tree	940
The Family Tree DTD	946
The family tree schema	948
Modularizing the DTDs	950
Designing a Style Sheet for Family Trees	960
A RDDDL document for family trees	968
Summary	980
Index	983