
CONTENTS

Preface	xv
CHAPTER 1 Introduction	1
1.1 Arrangement of This Book	2
1.2 History (Ongoing) of Data on the DSL	2
1.3 History of Multicarrier Modulation	4
1.4 MCM (DMT) and DSL	5
1.5 ADSL “Lite”	6
1.6 Some Housekeeping Details	7
1.6.1 Units of Measurement	7
1.6.2 References	7
CHAPTER 2 ADSL Network Architecture, Protocols, and Equipment	9
<i>A. J. Weissberger</i>	
2.1 ADSL Advantages and Applications	9
2.2 ADSL Transport Modes: STM or ATM?	10
2.3 ATM End-to-End Network Architectures and Protocol Stacks	11
2.3.1 New Equipment Needed for ADSL	13
2.4 Mapping Digital Information to ADSL User Data	14
2.4.1 Premises Architecture and DTE-to-DCE Interface	14
2.4.2 Traffic Shaping	15
2.4.3 Single or Dual Latency at the ATM Layer	15
2.5 Unique ADSL Requirements for ATM	16
2.6 ADSL Network Management and Management Information Busses	17
2.7 Observations	19

CHAPTER 3	The DSL as a Medium for High-Speed Data	21
3.1	Make-up of a Loop	21
3.1.1	Length of the Loop	22
3.1.2	Balance	23
3.1.3	Wire Gauge and Gauge Changes	23
3.1.4	Bridge Taps	24
3.1.5	Loading Coils	25
3.1.6	The Drop Wire	25
3.2	Ladder Model of an Unshielded Twisted Pair	26
3.2.1	Is a UTP a Minimum-Phase Network?	29
3.3	Distributed <i>RLGC</i> Parameters	30
3.3.1	<i>R</i> and <i>L</i> , and <i>G</i> and <i>C</i> as Hilbert-Transform Pairs	31
3.3.2	A Recommendation	33
3.4	Transformer Coupling and dc Blocking	34
3.5	Chain Matrix Characterization	34
3.5.1	In-line Sections	34
3.5.2	Bridge Taps	35
3.5.3	High-Pass Filters	35
3.5.4	The End-to-End Loop	36
3.5.5	MATLAB Program for Chain Matrix-Based Analysis	36
3.5.6	Frequency and Depth of the Notch Caused by a Simple Bridge Tap	36
3.5.7	Calculated Versus Measured Responses: A Cautionary Tale	38
3.6	Crosstalk	38
3.6.1	NEXT	40
3.6.2	FEXT	42
3.6.3	Measurements and Statistical Models of Crosstalk	45
3.6.4	Crosstalk from Mixed Sources	48
3.6.5	Modeling and Simulation of Crosstalk	50
3.6.6	Discussion of Terminology, and Comparison of NEXT and FEXT	55
3.7	Radio-Frequency Interference	56
CHAPTER 4	DSL Systems: Capacity, Duplexing, Spectral Compatibility, and System Management	59
4.1	Capacity	59
4.1.1	Modulation and Demodulation	59
4.1.2	Coding	60
4.1.3	Margin	60

- 4.1.4 Error Rate 61
- 4.1.5 The DFE Bound 61
- 4.2 Duplexing Methods 62
 - 4.2.1 Terminology 62
 - 4.2.2 Echo Canceling 62
 - 4.2.3 Frequency-Division Duplexing 63
 - 4.2.4 EC/FDD 63
 - 4.2.5 Time-Division Duplexing 64
- 4.3 Capacity Revisited 65
- 4.4 A Decision: EC or Not? 66
- 4.5 Spectral Compatibility 68
- 4.6 System Management 69
 - 4.6.1 Local Exchange Carriers: Incumbent and Competitive 70
 - 4.6.2 Mix of Data Rates and Rate Adaptation 74
 - 4.6.3 PSD Controls 74
 - 4.6.4 Enabling or Disabling Options 75
 - 4.6.5 Binder-Group Management 75
 - 4.6.6 Rates, Ranges, or Numbers of Customers? 77
- 4.7 Spectral Management Standard: Status, Fall 1999 78

CHAPTER 5 Fundamentals of Multicarrier Modulation 79

- 5.1 Block Diagram 79
- 5.2 Channel Measurement 81
- 5.3 Adaptive Bit Loading: Seeking the “Shannongri-la” of Data Transmission 82
 - 5.3.1 Adaptive Loading with a PSD Limitation 82
 - 5.3.2 Adaptive Loading with a Total Power Constraint 84
- 5.4 SCM/MCM Duality 85
- 5.5 Distortion, Efficiency, and Latency 86
- 5.6 The Peak/Average Ratio Problem 87
 - 5.6.1 Clipping 88

CHAPTER 6 DFT-Based MCM (MQASK, OFDM, DMT) 91

- 6.1 Guard Period 93
 - 6.1.1 Length of the Guard Period 95
- 6.2 Effects of Channel Distortion 95
 - 6.2.1 Total Distortion: Signal/Total Distortion Ratio 97
 - 6.2.2 Case of Both Post- and Precursors 98
 - 6.2.3 Distortion on Individual Subchannels: $SDR(j)$ 98

- 6.3 The Sidelobe Problem 99
 - 6.3.1 Noise Smearing and Resultant Enhancement 99
 - 6.3.2 Noise Enhancement from Linear Equalization 101
 - 6.3.3 Reducing Noise Enhancement 103
 - 6.3.4 Band Limiting 105
- 6.4 Reducing the Sidelobes: Shaped Cyclic Prefix 105
 - 6.4.1 Sensitivity to Channel Distortion 107
 - 6.4.2 Advantages and Disadvantages of the Four Methods of Using a Shaped Cyclic Prefix 108
- 6.5 Dummy Tones to Reduce Out-of-Band Power? 109

CHAPTER 7 Other Types of MCM 111

- 7.1 Frequency-Domain Spreading 112
 - 7.1.1 Frequency-Domain Partial Response 112
 - 7.1.2 Polynomial Cancellation Coding 114
- 7.2 Filtering 115
- 7.3 Time-Domain Shaping 116
 - 7.3.1 Whole Pulse Shaping with Synchronized Inputs 116
 - 7.3.2 Whole Pulse Shaping with Staggered Inputs: SMCM 116
 - 7.3.3 PCC with Time-Domain Overlap 119
- 7.4 Discrete Wavelet Multitone (*by Aware Inc.*) 119
 - 7.4.1 Performance Evaluations and Comparisons 129

CHAPTER 8 Implementation of DMT: ADSL 133

- 8.1 Overall System 133
 - 8.1.1 The Design and Implementation Problem 134
 - 8.1.2 Numerical Details 136
- 8.2 Transmitter 137
 - 8.2.1 Transport of the Network Timing Reference 137
 - 8.2.2 Input Multiplexer and Latency (Interleave) Path Assignment 138
 - 8.2.3 Scrambler 138
 - 8.2.4 Reed–Solomon Forward Error Correction 139
 - 8.2.5 Interleaving 139
 - 8.2.6 Tone Ordering 142
 - 8.2.7 Trellis Code Modulation 142
 - 8.2.8 Pilot Tone 143
 - 8.2.9 Inverse Discrete Fourier Transform 143
 - 8.2.10 Cyclic Prefix 143
 - 8.2.11 PAR Reduction 143

- 8.2.12 Digital-to-Analog Converter 154
- 8.2.13 Line Drivers 159
- 8.3 Four-Wire/Two-Wire Conversion and Transmit/Receive Separation 160
 - 8.3.1 Line-Coupling Transformer 160
 - 8.3.2 4W/2W Hybrid 160
 - 8.3.3 Echo Canceler? 163
 - 8.3.4 FDD Filters 164
- 8.4 Receiver 166
 - 8.4.1 Analog Equalizer? 167
 - 8.4.2 Analog-to-Digital Converter 168
 - 8.4.3 Timing Recovery and Loop Timing 168
 - 8.4.4 Time-Domain Equalizers 171
 - 8.4.5 FFT 176
 - 8.4.6 Frequency-Domain Equalizer 176
 - 8.4.7 Trellis Decoder (Viterbi Decoder) 176
 - 8.4.8 De-interleaver 177
 - 8.4.9 Reed–Solomon Decoder 177
 - 8.4.10 Descrambler 177
- 8.5 Algorithms (Part Transmitter and Part Receiver) 177
 - 8.5.1 Channel Measurement 177
 - 8.5.2 Bit Loading 177
 - 8.5.3 Bit Rate Maintenance (Bit Swap) 177
 - 8.5.4 Dynamic Rate Adaptation 178
 - 8.5.5 Unfinished Business: Bit Rate Assurance 179

CHAPTER 9 Coexistence of ADSL with Other Services 181

- 9.1 Coexistence with Voice-Band Services 181
 - 9.1.1 Transient Protection for the ATU 183
 - 9.1.2 Isolating the Voice Band from the (Low) Input Impedance of the ATU 184
 - 9.1.3 Maintaining Voice-Band Quality 184
 - 9.1.4 One Solution to the Impedance Problem: Generalized Immittance Converters 188
 - 9.1.5 A Partial Solution: Custom Design by Optimization 191
 - 9.1.6 Simplified (Dispersed and Proliferated) Low-Pass Filters 191
- 9.2 G.992 Annex B: Coexistence with Echo-Canceled ISDN 195
- 9.3 G.992 Annex C: Coexistence with TDD ISDN 195
 - 9.3.1 Synchronizing TDD ISDN and ADSL 197
 - 9.3.2 Band Assignments and FFT Sizes 198

- 9.3.3 Separate Quads for ISDN and ADSL 199
- 9.3.4 ULFEXT from Close-in ISDN Modems 199

CHAPTER 10 VDSL: Requirements and Implementation **201**

- 10.1 System Requirements and Consequences Thereof 202
 - 10.1.1 Services, Ranges, and Rates 203
 - 10.1.2 Transmit PSDs and Bit Loading 203
 - 10.1.3 Coexistence with ADSL 204
 - 10.1.4 Coexistence with Echo-Canceled BRI 207
 - 10.1.5 Compatibility with Amateur (Ham) and AM Radio 208
 - 10.1.6 The Network Termination 208
- 10.2 Duplexing 209
 - 10.2.1 Echo Cancellation? 209
 - 10.2.2 FDD or TDD? 210
 - 10.2.3 Mixed Services 210
- 10.3 FDD 210
 - 10.3.1 Mixture of Symmetric and Asymmetric Services 211
- 10.4 Zipper 211
 - 10.4.1 Basic Zipper/DD System 212
 - 10.4.2 Analog Front End and ADC 216
 - 10.4.3 Echoes and NEXT 219
 - 10.4.4 Mixture of Symmetric and Asymmetric Services 220
 - 10.4.5 Coexistence with ADSL 220
 - 10.4.6 Coexistence with TDD BRI 221
 - 10.4.7 Bit Loading 221
 - 10.4.8 Equalization 221
- 10.5 Synchronized DMT 221
 - 10.5.1 Basic SDMT System Compatible with TDD BRI 222
 - 10.5.2 Analog Front End and ADC 224
 - 10.5.3 Synchronization 224
- 10.6 Dealing with RFI from Ham and AM Radio 227
 - 10.6.1 Front-End Analog Cancellation 228
 - 10.6.2 Shaped Windowing 229
 - 10.6.3 Digital Filtering 229
 - 10.6.4 Digital Cancellation 230
 - 10.6.5 Unfinished Business 233
- 10.7 Comparison Among FDD, Zipper, and SDMT 233
 - 10.7.1 Efficiency 234
 - 10.7.2 Latency 234

10.7.3	Mixture of Symmetric and Asymmetric Services and Coexistence with ADSL	234
10.7.4	RFI Egress Control	235
10.7.5	Analog RFI Cancellation	235
10.7.6	Digital RFI Cancellation	235
10.7.7	AFE Performance	235
10.7.8	Complexity: AFE and ADC	235
10.7.9	Complexity: FFTs	235
10.7.10	Complexity: Equalizer	236
10.7.11	Complexity: Bit Loading Algorithm	236
10.7.12	Power Consumption	236
10.7.13	Synchronization	236
10.7.14	Summary	237
10.8	A Last-Minute Personal Footnote	237
10.8.1	Duplexing	237
10.8.2	Modulation	238

CHAPTER 11 Future Improvements

239

11.1	Frequency-Domain Partial Response	239
11.1.1	FDPR in the Transmitter	239
11.1.2	FDPR in the Receiver	240
11.1.3	Filterless FDD	240
11.1.4	Unfinished Business: Coding for FDPR to Retrieve “Lost” 3 dB	241
11.2	Equalization	241
11.2.1	TEQ	241
11.2.2	FEQ	243
11.2.3	TEQ or FEQ?	246
11.3	Echo Cancellation	247
11.4	Front-End Crosstalk Cancellation	249
11.5	Digital NEXT Cancellation	250
11.6	Cancellation of RF and Other Interference	250
11.6.1	Unfinished Business	252
11.6.2	Grand Finale	252

APPENDIX A Matlab Programs for xDSL Analysis

253

A.1	Frequency-Domain Analysis: Response and Input Impedances	253
A.2	Loop Capacity	255

APPENDIX B Organizations, Recommendations, and Standards 257

- B.1 International Telecommunications Union 257
- B.2 American National Standards Institute 258
- B.3 European Telecommunications Standards Institute 258
- B.4 ATM Forum 258
- B.5 ADSL Forum 258

APPENDIX C Efficient Hardware Implementations of FFT Engines 259

Mitra Nasserbakht

- C.1 Overview 259
- C.2 Fast Fourier Transform 259
 - C.2.1 Radix-2 FFT Computation 260
 - C.2.2 Radix-4 FFT Computation 261
 - C.2.3 Decimation in Time 262
 - C.2.4 Decimation in Frequency 262
- C.3 Architectural Considerations 262
 - C.3.1 Number Representation Scheme 263
 - C.3.2 Memory Subsystem 265
 - C.3.3 Scrambling and Unscrambling of Data 268
 - C.3.4 Twiddle Factor Generation 268
- C.4 Representative FFT Engine Implementation 269
 - C.4.1 Data Format 269
 - C.4.2 FFT System Top-Level Architecture 270
 - C.4.3 Processor Pipeline Stages 271
 - C.4.4 Dedicated Storage Elements 273

References 275

Index 285